

Bureau of Health Care Quality & Compliance

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: NVN2611AGC	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____	(X3) DATE SURVEY COMPLETED 01/27/2009
NAME OF PROVIDER OR SUPPLIER RIVER FLOW MANOR 1		STREET ADDRESS, CITY, STATE, ZIP CODE 327 RIVER FLOW DRIVE RENO, NV 89523		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
Y 000	Initial Comments The findings and conclusions of any investigation by the Health Division shall not be construed as prohibiting any criminal or civil investigations, actions or other claims for relief that may be available to any party under applicable federal, state, or local laws. This Statement of Deficiencies was generated as a result of a bed increase survey conducted in your facility on 1/27/09. This State Licensure survey was conducted by the authority of NRS 449.150, Powers of the Health Division. The facility is licensed for six Residential Facility for Group beds for elderly and disabled persons, Category II residents. The census at the time of the survey was six. The facility submitted a request to increase their licensed beds from six to eight, but met the requirements for only seven beds. The following deficiencies were also identified:	Y 000		
Y 271 SS=D	449.2175(2) Service of Food - Seating NAC 449.2175 2. Tables and chairs must be of proper height and of sufficient number to provide seating for the number of residents authorized for the facility. They must be sturdy and have easily washable surfaces. Chairs must be constructed so that they do not overturn easily.	Y 271		

If deficiencies are cited, an approved plan of correction must be returned within 10 days after receipt of this statement of deficiencies.

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

Bureau of Health Care Quality & Compliance

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: NVN2611AGC	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 01/27/2009
NAME OF PROVIDER OR SUPPLIER RIVER FLOW MANOR 1			STREET ADDRESS, CITY, STATE, ZIP CODE 327 RIVER FLOW DRIVE RENO, NV 89523		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
Y 271	Continued From page 1 This Regulation is not met as evidenced by: Based on observation and interview on 1/27/09, the facility's dining room table did not allow enough seating area for an increase from six to seven residents. Severity: 2 Scope: 1	Y 271			
Y 355 SS=F	449.222(5) Bathrooms and Toilet Facilities NAC 449.222 5. Provision must be made for privacy in all bathrooms and toilet facilities in rooms intended for use for more than one person. This Regulation is not met as evidenced by: Based on observation on 1/27/09, the facility failed to ensure a provision for privacy was provided for 3 of 3 residents who resided in the master bedroom and used the master bathroom. Severity: 2 Scope: 3	Y 355			
Y 370 SS=G	449.224(1) Housing for Staff Members NAC 449.224 1. Bedrooms must be provided for any members of the staff of a residential facility and their families who live at a residential facility. The bedrooms must comply with the provisions of subsections 2 to 8, inclusive, of NAC 449.218 and the provisions of NAC 449.220 and 449.221.	Y 370			

If deficiencies are cited, an approved plan of correction must be returned within 10 days after receipt of this statement of deficiencies.

Bureau of Health Care Quality & Compliance

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: NVN2611AGC	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 01/27/2009
NAME OF PROVIDER OR SUPPLIER RIVER FLOW MANOR 1			STREET ADDRESS, CITY, STATE, ZIP CODE 327 RIVER FLOW DRIVE RENO, NV 89523		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
Y 370	<p>Continued From page 2</p> <p>This Regulation is not met as evidenced by: Based on observation and interview on 1/27/09, the facility failed to ensure the bedroom for the caregiver met the requirements of NAC 449.218(2).</p> <p>Findings include:</p> <p>The facility requested a bed increase from six to eight resident beds. The owner reported she and her husband lived at the facility and she was converting her and her husband's bedroom (bedroom #5) into a room for the eighth resident. The owner reported she put a twin-bed in the master bedroom closet in resident bedroom #1 and would be using the closet as her bedroom. She stated she or her husband would take turns spending the night in the closet while the other would stay at her children's house down the street.</p> <p>The following problems were identified:</p> <ul style="list-style-type: none"> - The master bedroom closet did not have a window to the outside. - The owner and her husband would have to go through a resident's room to enter the closet (violation of NAC 449.221(1). - The master bedroom was occupied by three women, so the husband would be sleeping in the same area as the women. - A stand alone wardrobe was added to the bedroom to hold resident clothes that had been in the master closet. The stand alone wardrobe was placed in front of a door that lead from the bedroom to the backyard. <p>The owner was informed the closet could not be used as a caregiver bedroom. The owner reported she would move her bed back into</p>	Y 370			

If deficiencies are cited, an approved plan of correction must be returned within 10 days after receipt of this statement of deficiencies.

Bureau of Health Care Quality & Compliance

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: NVN2611AGC	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 01/27/2009
NAME OF PROVIDER OR SUPPLIER RIVER FLOW MANOR 1			STREET ADDRESS, CITY, STATE, ZIP CODE 327 RIVER FLOW DRIVE RENO, NV 89523		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
Y 370	Continued From page 3 bedroom #5 and remove the stand alone wardrobe from the master bedroom. Severity: 3 Scope: 1	Y 370			

If deficiencies are cited, an approved plan of correction must be returned within 10 days after receipt of this statement of deficiencies.